



Contact Michael Jensen
Telephone 844-MY-BINOS (692-4667)
Cell 804-414-5022
E-mail mike.jensen@GPO-USA.com
Website GPO-USA.com

FOR RELEASE
January 10, 2018

GPO, USA INTRODUCES THE GPOTAC™ 6XI RIFLESCOPE

Midlothian, Virginia, January 10, 2018 — GPO, USA, the industry's newest premium optics company, introduces the GPOTAC™ 6Xi riflescope. This product is German-designed and engineered to bring extreme features for the benefit of most serious tactical shooters. The GPOTAC™ 6Xi is built on a 30mm machined aircraft aluminum main tube and comes standard with an iControl™ fiber-optic, auto-off, illuminated, and mil-spec horseshoe reticle. It has a 6x zoom factor.

"GPOTAC™ 6Xi is a scope like no other—it's amazing. It's packed with optical brilliance and technical features expected from super-premium tactical riflescopes," says Michael Jensen, owner and CEO of GPO, USA. "We were very careful to make sure every demanded feature available was jammed into this optic. You've got to see this scope."


The GPOTAC™ 6Xi riflescope will be offered in a 1–6x24i, with an iControl™ illuminated mil-spec horseshoe reticle properly located in the first focal plane. With locking metallic milrad turrets, GPObright™ high-transmission lens-coating technology coupled with double HD glass objective lenses, fast focus rubberized ocular, and an extra-wide machined aluminum magnification adjustment ring, these scopes have it all. The 30mm tube reduces weight and size yet brings extreme range of adjustment capabilities, near one hundred inches, and includes an extremely wide-angle field of view sure to please any tactical shooter. With iControl™ illumination technology, the horseshoe and center point offer the newest auto-off feature that protects against unnecessary battery drainage so users always have illumination when they need it most. The inverted horseshoe uses reliable glass illumination technology while the MIL radiant crosshairs provide an option to engage a further target quickly.

"It's a smaller, lighter, more versatile tactical scope built on a 30mm tube compared to the larger 1-8x24i GPOTAC scope that is built on a 34mm tube. We find smaller and lighter MSR rifle shooters prefer this more compact option. It's remarkable." says Jensen.

All GPO products purchased in the USA include the GPO, USA Spectacular Lifetime Warranty. Full details of this warranty can be found at www.gpo-usa.com.

WE FIGHT—WE SUPPORT—WE CARE. GPO, USA is proud to contribute a portion of all sales proceeds to the following organizations: Rocky Mountain Elk Foundation, National Rifle Association, Safari Club International, and the American Birding Association. For additional information on these efforts, visit www.gpo-usa.com or e-mail gpocares@gpo-usa.com

NEW- GPOTAC™ 1-6x24i
GPOTAC™ 1-8x24i



Item #	Model	MAP 2018	MSRP	Tube	Reticle	UPC
RT610	1-6x24i	\$1,699.99	1888.88	30mm	Horseshoe ill	852885007267

About GPO, USA:

GPO, USA is an American-based company that creates and sells premium outdoor sporting optics to avid outdoor enthusiasts who seek high-quality premium optics for their sport. Based in Midlothian, Virginia, the company is owned and operated by Michael Jensen, an outdoor industry veteran who has successfully assisted in leading numerous premium brands such as Zeiss, Swarovski, Remington, and Marlin to benchmark success levels. GPO, USA works in tandem with GPO, GbmH, a German-based company owned and operated by Richard Schmidt, formerly CEO of Carl Zeiss Sports Optics, GmbH. GPO, GmbH is the global owner of the GPO brand. Together, GPO, USA and GPO, GmbH design, engineer, and have produced optics that meet the highest specifications in their products' price/class segments. GPO, USA is committed to enhancing the experience of outdoor enthusiasts by introducing premium products with better features at similar prices or similar quality premium products at better prices. The GPO, USA-based company is unique because it not only creates premium sporting optics, but it also offers one of the best warranty service policies in the industry, and it publicly supports select organizations that protect conservation, our country, and our constitutional rights. For more information about GPO, USA visit www.gpo-usa.com or email info@gpo-usa.com.

GPO RIFLESCOPE TECHNICAL SPECIFICATIONS

GPOTAC™
1-6x24i Tac

Optical parameter	Description	Value	GPOTAC™	
			Min	Max
Magnification			1x	6x
Field of View (FOV)		ft/100y	113.2	19
Field of View (FOV)		m/100m	37.5	6.3
Objective diameter	Effective diameter	mm	24	
Exit pupil diameter	Measurement of the pupillary ocular beam	mm	24	4
Eye Relief	From the last optical surface	inches	3.94	
Eye Relief	From the last optical surface	mm	100	
Focal plane	F2 - non-magnifying reticle F1 - magnifying reticle		F1	
Travel value per click	1 Click = x / 100y	inches	.36"	
Travel value per click	1 Click = x / 100m	cm	1 mrad	
Elevation range total	100y	inches	84	
Elevation range total	100m	cm	232	
Windage range total	100y	inches	84	
Windage range total	100m	cm	232	
Parallax compensation	Parallax free at x distance		100m	
Transmission Daylight	ISO 14490-5:2005		91.00%	
Height	Without covers	inches	1.9	
Height	Without covers	mm	49.3	
Width	Without covers	inches	2.6	
Width	Without covers	mm	65.7	
Length	Measured at outside diameter	inches	10.6	
Length	Measured at outside diameter	mm	270	
Tube diameter	Width of main tube	inch or mm	30	
Mechanical outer diameter	Objective end of scope	mm	30	
Mechanical outer diameter	Ocular end of scope	mm	46	
Weight	Without covers	ounces	19.8	
Weight	Without covers	grams	560	
Reticle Options	G4 = German #4 G4i = German #4 illuminated HS(i) = Horseshoe illuminated		HS(i)	